UNIVERSITÀ DEGLI STUDI DI ROMA / FACOLTÀ DI MAGISTERO / CORSO DI LAUREA IN PSICOLOGIA

COMUNICAZIONI SCIENTIFICHE DI PSICOLOGIA GENERALE semestrale diretto da M. OLIVETTI BELARDINELLI

ISSN: 0392-7504

T-149,

# STRUTTURAZIONE TEMPORALE DEI PROCESSI COGNITIVI

PAUL FRAISSE /// MARTA OLIVETTI BELARDINELLI /// MARCELLO CESA-BIANCHI / ENRICO BAROLO /// GIOVANNI B. VICARIO

KARL PRIBRAM /// MARIO BERTINI /// FRANÇOISE MACAR / NICOLE VITTON /// RENZO CANESTRARI / PIO ENRICO RICCI-BITTI

GIAN VITTORIO CAPRARA / PAOLO RENZI /// CARLAMARIA DEL MIGLIO / LAURA FEDELI /// MICHEL IMBERTY /// ALF GABRIELSSON

VEZIO RUGGIERI /// ELIANO PESSA /// FRANCESCO S. MARUCCI /// PAOLO BONAIUTO

SCRITTI IN ONORE DI ERNESTO VALENTINI

BULZONI EDITORE

÷\$7

ESTRATTO

#### KARL H. PRIBRAM\*

## SPACE-TIME AND DURATION IN THE ORGANIZATION OF LANGUAGE

#### THE PROBLEM

In Languages of the Brain (Pribram, 1971, Chaps. 17, 18 and 19), I made some preliminary proposals concerning the relationship between human language and the functional organization of the brain. These proposals were based on clinical experience with aphasic patients and on the analysis of the structure of language by Charles Peirce (1934). The proposals were incomplete in many respects and raised problems that have persistently plagued me in trying to understand linguistic processing by the brain. The present work thus presents an opportunity to enlarge on the earlier views which have been especially enriched by attendance at a conference on the origins of speech and language sponsored by the New York Academy of Sciences in 1976, by an interdisciplinary conference on the nature of human language sponsored by the Society for the Interdisciplinary Study of the Mind in 1978, and by the participants of a conference on «pausology», held at the University of Kassel in 1980.

Perhaps the most important problems concern the relationship between brain organization and Peirce's categories of semantics, pragmatics and syntactics. The connection between semantics and syntactics appeared to be relatively easy to establish: grammar and meaning mutually imply each other much as partitions on a set determine the organization into subsets (Pribram, 1973a). Thus, no separate brain locus would be expected to distinguish disturbances of semantics from those of syntax.

Two problems immediately arise from this formulation: one, it is incomplete since it ignores pragmatics; and two, it contradicts the clinical observation that semantic aphasis more often follow parietal lesions while agrammatism is found most often in patients with more anteriorly placed damage in the temporal lobe or adjacently at the foot of the central fissure.

Comunicazioni Scientifiche di Psicologia Generale, 1984, 12, pp. 107-119,

<sup>\*</sup> Neuropsychology Laboratories, Jordan Hall, Stanford University.

The problems concerning semantics, pragmatics and syntactics are intimately related to another set of distinctions that Peirce makes, i.e., those that characterize signs and symbols. Signs refer to icons, i.e., images that outline or caricature the sensory input. Signs may also become indices that point to, categorize or classify that input into groups, i.e., sets and subsets. Symbols, on the other hand, are tokens that bear only an indirect and completely arbitrary relationship to the events or objects symbolized. In *Languages of the Brain* I focused on this distinction between the direct, deictic nature of iconic and indexal signs and the indirect tokens that compose symbols as fundamental. However, the criticism has often been voiced that signs are also tokens, and furthermore, that in *Languages*, Peirce's differentiation between icon and index was not pursued.

These difficulties are compounded by the generally held opinion by philosophers, linguists and cognitive psychologists that signs and symbols are hierarchically related. Peirce is not altogether clear on this issue, but in *Languages of the Brain*, sign and symbol are conceived to originate from the operation of separate neural systems: signs are processed by the posterior convexity of the brain, symbols by frontolimbic formations. Thus, the neuropsychological formulation has been at variance with accepted linguistic conceptualizations.

Finally, in Languages of the Brain I suggested that the ordinary distinction between nouns and verbs in terms of nominalization and predication is in error. Both nouns and verbs are seen as nominalized: verbs refer to nominalized actions while nouns refer to objects, the difference between objects and acts being their relative stability over time and place. Predication is defined neuropsychologically as expressing a relationship, a proposition, a belief about how objects and acts have become momentarily related (see also Eco, 1979, Chap. I). Predication, therefore, demands syntax, in English, for example, the use of only a restricted range of verbs such as «is». Linguists, on the other hand have tended to identify predication with action per se and to consider all verbs as predicates. Verbs are thus instrumental, procedural referents to action of objects referred to by nouns.

One may be tempted to ignore these differences. After all, differences in disciplinary approach may well produce different analyses. But, if understanding human language is to be of a piece, the different approaches ought to shed light on a commonality of

problems, and the discrepancies listed above should be resolvable. The following attempt toward resolution is made in this spirit.

## LINGUISTIC PROCESSING: A PROPOSAL

Resolution of these issues rests on a distinction which is central to the theme of this conference: The nature of time. Bergson (1911) has proposed — and neuropsychological analysis supports his proposal (Pribram, in press) — that the conception of time concerns two distinguishable processes: Einsteinian space-time and the experience of duration (durée).

The perception of Einsteinian time is developed in terms of movement across space, which while relative to the speed of movement results in a «relatively» context free experience of external reality. The experience of duration, on the other hand, is based on fluctuation, i.e. on recurrent cycles of repetitive activity such as diurnal and ultraradian rhythms, appetitive/satiety cycles, heart beat and respiratory inhalation/exhalation, etc. Thus, the experience of duration is state and context dependent. Neuropsychological evidence indicates that the perception of space-time is a function of the posterior cerebral convexity while the experience of duration is a function of the frontolimbic formations of the forebrain.

Applied to the analysis of the neural systems involved in language, the distinction between space-time and duration indicates the following: The posterior cerebral convexity deals with image and information processing while the frontolimbic formations are concerned with communication within the frame of state and context dependent processes.

Images are clearly space-time representations. Information, in Shannon's sense (Shannon & Weaver, 1949) is the quantitative expression of the reduction in uncertainty among alternatives. In this sense information is akin to categorizing, which has been shown by Rausch (1977) to depend on generalizing a prototype. Prototypes are of course images or iconic representations of such images. Take for example, a shelf containing knick-knacks and books. If I ask you to bring me a certain book wich I believe to have a red cover, I have categorized book and red — two prototypes. There may in fact be a book-like objet that contains a bottle of scotch and there may be a book with reddish-orange covers — characteristics which fall at the limits of generalization of the prototype and therefore make choice more difficult. Under favorable circumstances, however, uncertainty reduction has occurred by the provision of categorical information.

Neuropsychological evidence (reviewed below) suggests that semantic processing, i.e. the processing of images (icons) and information (as represented by open class words and phrases, i.e. by categorical reference) is a function of the posterior cerebral convexity and that in humans the right hemisphere is more involved in image processing while the left hemisphere is more involved with information processing (the reduction of uncertainty).

By contrast, neuropsychological evidence (reviewed below) indicates that the frontolimbic formations of the forebrain are concerned with pragmatic procedures. These procedures include the prosodics of speech: Intonation, pausing and the character of voice. Further, the modifiers of meaning — (closed class words and phrases which are rhetorical, i.e. provide rhetoric) that depend so much on the fluctuating, cyclic state of the speaker and the circumstance (context) in which the communication occurs — are a function of these frontolimbic forebrain mechanisms.

Finally, it is syntax which coordinates semantics (image and information processing) with pragmatics. Syntax is a function of the somatosensory motor systems centrally located in the brain and critical to the *expression* of both semantic reference and pragmatic rhetoric.

## SEMANTIC PROCESSING: IMAGE AND INFORMATION

Note that in this formulation the distinction between image processing (iconicity) and information processing (indexing) rests on hemispheric specialization. The evidence for such specialization has been repeatedly reviewed (e.g., Dimond & Beaumont, 1974) and has become common knowledge. Less well articul are the relationships between image and information processing and the construction of linguistic signs and symbols. As Peirce makes clear, icons and indicants bear a direct reference to what is being signified. In today's parlance, images (see e.g., Paivio, 1971) and information, considered as alternatives (see e.g., Miller, 1953) are also rather directly derived from sensory input. Signs and symbols, on the other hand, are higher order categorizations, which can become

arbitrary with use. This arbitrariness stems from the modification of language expressions by the states and contexts that give pragmatic form to the language.

The hierarchical nature of linguistic processing is most likely derived from the beginnings of hemispheric specialization and later from the audiovocal nature of human language. There is considerable evidence that initially primate communication proceeded by establishing a reciprocal relationship between icon and index using visual-gestural mechanisms. Thus, apes have been taught to indicate their communications by American Sign Language (e.g., Gardner & Gardner, 1969) and the cave paintings of early man suggest considerable skill at iconic symbolization. A plausible scenario of the origins of speech might be that frustrations with visual-gestural communication due to darkness in caves, distance, or other awkward circumstances became expressed in vocalization which then became differentiated into tokens for the unseen gestures. In this fashion, the expressions became signs and symbols initially standing in lieu of icons and indexes and then supplanting them because of their overwhelming adaptive advantage. In short, the expression became words.

It is likely that these first expressions of frustrations were related to actions and were, therefore, verbs. Verbs are words that denote actions (Miller, Galanter & Pribram, 1960, Chap. 14). «A hole is to dig» a child will tell you and an aphasic patient will gesture only «to dig». Later in evolution verb words became nominalized and objectified. Thus, whether one whishes to call words symbols or signs is a matter of convention. Because the meaning of words is ordinarily processed by the posterior convexity of the *left* hemisphere and because indices are usually hierarchical to icons, it does seem most appropriate to call them symbols as is the custom in linguistics and philosophy (e.g., Morris, 1946) and not signs as in *Languages* of the Brain.

## PRAGMATIC PROCEDURES: LANGUAGE FORMATION

But by what mechanism are these higher order arbitrary signs and symbols achieved? The proposal made here is that pragmatic procedures involving the functions of the frontlimbic forebrain continuously modify icon and index once vocal expression becomes involved in the communication. The limbic systems are primarily concerned with monitoring the fluctuating, cyclic states of the organism that are expressed as hunger, thirst, sex, etc. (for review see Pribram, 1971, Chaps. 9 and 10). In addition, the intensive aspects of pain and temperature are regulated by these systems (see Pribram, 1977c). These basic functions are reflected in higher order processes as establishing the needs and desires, i.e., the bases for the utilities that determine what reinforces the organism's behavior (see e.g., Douglas & Pribram, 1966; Pribram, Douglas & Pribram, 1969; Pribram, 1977a). In essence, therefore, these systems establish an internally determined pragmatic context within which the organism approaches the world about him.

The limbic forebrain shares regulation of context-dependent behavior with the pole of the frontal cortex which can be considered as the «association» area of the limbic systems (Pribram, 1958). The functions of the frontal cortex make possible the distribution of behavioral responses according to the probability that the behavior will be reinforced (Pribram, 1961). Thus, frontal cortex participates in determining the practical, pragmatic utilities which, as noted above, organize the context within which an organism approaches his world. (Utilities are defined in economic theory as derived multiplicatively from desires and probabilities.).

Linguists and psycholinguists have up to now paid little heed to the pragmatics of language. The line of evidence and reasoning pursued here suggests that pragmatic procedures are derived from processes that establish desirabilities and the probabilities of reinforcement given a particular state of desire. The linguistic expression of such pragmatic processes would therefore be episodic, i.e., would be dependent on momentary state. Some mnemonic mechanism must also be involved since state change is monitored and outcome (reinforcement) probability estimates are made. Cognitive psychologists often refer to such mnemonic processes as short term but more recently, and accurately, the process has been identified as «episodic» memory (Tulving, 1970, 1972) to distinguish it from longer term, more universally applicable semantic stores.

## FORMING A LANGUAGE: THE ROLE OF PAUSING AND PARSING

In non-human primates, lesions of the frontolimbic forebrain but not of the posterior convexity, interfere with the performance

of a task which can be used as a model for relating episodic, context dependent constructions to linguistic processing. This task is the delayed alternation procedure during which a subject is reinforced for alternating his responses between the two boxes. During the interval between opportunities for response an opaque screen hides the boxes. The screen, is kept in place for from 5 sec. to a minute or longer depending on how difficult one chooses to make the task. When the interval between opportunities is equal, subjects with frontolimbic lesions invariably fail the task; i.e., they seem to forget which box they previously chose successfully. When, however, the intervals between opportunities are made unequal e.g. 5 sec. before box one must be chosen and 15 sec. before box two is the correct choice — then the deficit is quickly overcome (Pribram & Tubbs, 1967; Pribram, Plotkin, Anderson & Leong, 1977).

The reason for performing the above experiment was that it seemed as if a monkey failing the alternation task were in much the same situation as a person hearing or reading a paragraph in which letters and words were separated by equal intervals. Thus, MARESEATOATSANDDOESEATOATSANDLITTLELAMBSEA-TIVY is unintelligible until parsed into words: Does eat oats and mares eat oats and little lambs eat ivy. In general, chunking (Miller, 1956; Simon, 1974) has been found to be an essential processing mechanism when the limits of competency are involved (Pribram & McGuinness, 1975).

It is remarkable that the same parts of the brain are responsible for the operations that determine context by way of pragmatic procedures and those that determine the pauses necessary to parsing utterance, i.e., expressions into words. This identity of neural substrate suggests that *pauses* in speech provide the contextual cues within which the content becomes related to the speaker's state: his mood, his momentary desires and probability estimates of success in meeting those desires. From these contextual cues, therefore, signification and symbolization derive — pragmatic processing *informs* (in the non-technical sense) the linguistic production. Pauses, inflections and the dynamic range of speech form the context in which the content of the communication occurs. This idiosyncratic aspect of language formation may therefore be responsible for the rapid transformation of a language into dialect by an intimate group and thus the variety of languages used by man. Further, this relationship between pragmatics and the *form* of language expression may underlie the process of predication. Making words into sentences would be unnecessary unless a statement about state, about desire and belief (probability), etc. were at stake. Thus, predication stems from pragmatic procedures while nomination, i.e., making words more universally meaningful, results from semantic image and information processing.

## SYNTACTICS: THE MOTOR ASPECTS OF LANGUAGE

What then is the role of syntax? Syntax must reflect both the pragmatic form of language and its semantics. Neurologically, both the frontolimbic forebrain and the posterior convexity of the brain are directly connected to such subcortical motor structures as the basal ganglia which are known to regulate postural and sensory sets (for review, see Pribram, 1977b). These basal structures are, in turn, intimately connected with the centrally located motor cortex which organizes skills.

Over the past three decades, a great deal has been learned about the hierarchical nature of processing information by the use of symbols (ex.g., Miller, Galanter & Pribram, 1960). The construction of programs that make serially operating computers into effective data storage and retrieval mechanisms has shown that such programs must categorize data into items which can be universally retrieved and are thus essentially context free. Hierarchies of such context free items (bits  $\rightarrow$  bytes  $\rightarrow$  words) are then compiled into assemblers which in turn are the elements of more complex programming languages.

More recently, cognitive psychologists interested in simulating human experience and behavior have found that exclusive reliance on such hierarchical organization does not reflect the full nature of human perception, action, and communication. Even the relativily simple process of compiling demands arbitrary decisions that are specific to the «episode» or situation, e.g., the particular computer in *use*. More and more, these investigators have resorted to the construction of «procedures», episode specific program clusters that can be flexibly switched into an ongoing program whenever a situation so demands (see Miller & Johnson-Laird, 1976; Winograd, 1977; Schank & Abelson, 1977). As noted earlier, in primates, evidence has accumulated to support the hypothesis that the frontal cortex operates such a context sensitive noticing mechanism and becomes, in this sense, therefore, the executive organ of the brain (Pribram, 1973b).

## CONCLUSION

Drawing on Bergson, duration based on fluctuating cyclicity is distinguished from space-time. When applied to linguistic communication, these fluctuation-dependent durations evolve into the prosodics and predicative aspects of language - in short, its pragmatics. The import of recent attention to episodic context sensitive, pragmatic procedures in all cognitive operations, does not exclude psycholinguistics or neurolinguistics. In a sense, this paper has summarized a set of conceptualizations that has benefited substantially from recognition of the role of pragmatics, its definition in terms of current issues, and the possibility of constructing a reasonable model of the brain process involved. Pragmatics has thus proved the key concept in resolving a set of issues and problems that grew from an interest in relating semantics to syntax. Pragmatics provides the context and form within which image and information become meaningful. Syntax must thus be accountable to both hierarchical, essentially context free semantic considerations, and to episode specific, context sensitive procedures. Brain mechanisms exist for semantic processing in its posterior convexity and for procedural organization in the frontolimbic systems. Syntactic collation becomes the burden of the motor system to accomplish, for the linguistic act is little different in this respect from the achievement of other actions (Pribram, 1971, Chaps, 16, 19).

#### REFERENCES

- DIMOND A.J., BEAUMONT J.G., Hemisphere Function in the Human Brain, John Wiley, New York 1974.
- DOUGLAS R.J., PRIBRAM K.H., Learning and Limbic Lesion, Neuropsychologia, 1966, 4, pp. 197-220.
- ECO U., A Theory of Semiotics, Bloomington 1979.
- GARDNER R.A., GARDNER B.T., Teaching Sign Language to a Chimpanzee, Science, 1969, 165, pp. 664-672.
- MILLER G.A., What Is Information Measurement?, American Psychologist, 1953, 8, pp. 3-11.
- MILLER G.A., The Magical Number Seven, Plus or Minus Two, or, Some Limits on Our Capacity for Processing Information, Psychological Review, 1956, 63, pp. 81-97.
- MILLER G.A., GALANTER E., PRIBRAM K.H., Plans and the Structure of Behavior, Holt, Rinehart and Winston, New York, Chicago, San Francisco 1960.
- MILLER G.A., JOHNSON-LAIRD P., Language and Perception, Harvard University Press, Cambridge, Mass. 1976.
- MORRIS C., Signs, Language and Behavior, George Braziller, New York 1946.
- PAIVIO A., Imagery and Verbal Processes, Holt, Rinehart and Winston, New York, Chicago, San Francisco 1971.
- PEIRCE C.S., Collected Papers, Harvard University Press, Cambridge, Mass., vols. 1,2,5, 1934.
- PRIBRAM K.H., Neocortical Function in Behavior in HARLOW H.F., WOOLSEY C.N. (eds.), Biological and Biochemical Bases of Behavior, University of Wisconsin Press, Madison 1958, pp. 151-172.
- PRIBRAM K.H., A Further Experimental Analysis of the Behavioral Deficit That Follows Injury to the Primate Frontal Cortex, Experimental Neurology, 1961, 3, pp. 432-466.
- PRIBRAM K.H., Languages of the Brain: Experimental Paradoxes and Principles of Neuropsychology, Prentice-Hall, Englewood Cliffs, N.J., 1971; 2nd ed.: Brooks/Cole, Monterey, Cal. 1977.
- PRIBRAM K.H., The Comparative Psychology of Communication: The Issue of Grammar and Meaning, Annals of the New York Academy of Sciences, 1973a, 223, pp. 135-143.
- PRIBRAM K.H., Brain Organization in the Construction of Values: A Sociobiological Analysis, in Search for Absolute Values-Harmony Among the Sciences, Proceedings of the 5th International Conference on the Unity of the Sciences, Washington, D.C., Nov. 26-28 1977a, New York: ICF Press, pp. 641-651
- PRIBRAM K.H., New Dimension in the Functions of the Basal Ganglia, in SHAGASS C., GERSHON S., FRIEDHOFF A.J. (eds.), Psychopathology and Brain Dysfunction, Raven Press, New York 1977b, pp. 77-95.

- PRIBRAM K.H., Peptides and Protocritic Processes, in MILLER L.H., SANDMAN C.A., KASTIN A.J. (eds.), Neuropeptide Influences on the Brain and Behavior, Raven Press, New York 1977c.
- PRIBRAM K.H., DOUGLAS R., PRIBRAM B.J., The Nature of Non-Limbic Learning, Journal of Comparative and Physiological Psychology, 1969, 69, pp. 765-772.
- PRIBRAM K.H., MCGUINNESS D., Arousal, Activation and Effort in the Control of Attention, Psychological Review, 1975, 82, pp. 116-149.
- PRIBRAM K.H., PLOTKIN H.C., ANDERSON R.M., LEONG D., Information Sources in the Delayed Alternation Task for Normal and «Frontal» Monkeys, Neuropsychologia, 1977, 15, pp. 329-340.
- PRIBRAM K.H., TUBBS W.E., Short-Term Memory, Parsing, and the Primate Frontal Cortex, Science, 1967, 156, pp. 1765-1767.
- SCHANK R.C., ABELSON R.P., Scripts, Plans, Goals and Understanding, Lawrence Erlbaum Schmerling, S.F., Hillsdale, N.J. 1977.

SIMON H.A., How Big is a Chunk? Science, 1974, 183, pp. 483-488.

- TULVING E., Short-Term and Long-Term Memory: Different Retrieval Mechanisms, in PRIBRAM K.H., BROADBENT D., (eds.), The Biology of Memory, Academic Press, New York 1970, pp. 7-9.
- TULVING E., Episodic and Semantic Memory, in TULVING E., DONALDSON W. (eds.), Organization of Memory, Academic Press, New York 1972, pp. 382-403.
- WINOGRAD T., Framework for Understanding Discourse, Artificial Intelligence Monograph, Standford University, June 1977.

#### RIASSUNTI

#### SPAZIO-TEMPO E DURATA NELLA ORGANIZZAZIONE DEL LINGUAGGIO

• •

ή

٦

J

L'importanza dell'attenzione recente ai procedimenti pragmatici «sensibili al contesto» in tutte le operazioni cognitive non esclude né la psicolinguistica, né la neurolinguistica.

Questo articolo riassume, in un certo senso, una serie di concettualizzazioni che hanno beneficiato in modo sostanziale della scoperta del ruolo della pragmatica, della sua definizione in termini appartenenti alle problematiche contemporanee, nonché della possibilità di costruire un modello ragionevole dei processi cerebrali implicati.

La pragmatica si rivela così un concetto chiave per la soluzione di una serie di argomenti e di problemi che derivano dalla messa in relazione della semantica con la sintassi.

La pragmatica fornisce il contesto e la forma all'interno della quale l'immagine e l'informazione divengono significative.

La sintassi deve così poter essere spiegata sia in base a considerazioni semantiche disposte gerarchicamente e sostanzialmente libere dal contesto, sia in base a procedimenti specifici per l'episodio e sensibili al contesto.

I meccanismi cerebrali per l'elaborazione semantica hanno luogo nella convessità posteriore e quelli per l'organizzazione procedurale nel sistema frontolimbico.

La collazione sintattica diviene il carico per l'adempimento del sistema motorio, in quanto l'atto linguistico, da questo punto di vista, differisce di poco dall'adempimento di altre azioni.

#### ESPACE-TEMPS ET DURÉE DANS L'ORGANISATION DU LANGAGE

L'importance de l'attention récente pour les procédures «sensibles au contexte» et pragmatiques en toutes les opérations cognitives, n'exclut ni la psycholinguistique, ni la neurolinguistique. En un certain sens cet article a résumé une série de conceptualisations, qui ont, de façon essentielle, profité de la découverte du rôle de la pragmatique, de sa définition en des termes appartenant à des problématiques actuelles, et, enfin, de la possibilité de construire un modèle raisonnable des processus cérébraux en cause.

Donc, la pragmatique a essayé son concept-clé sur la solution d'une série de thèmes et problèmes provenants de l'intérêt à pouvoir mettre la sémantique en rapport avec la syntaxe. La pragmatique fournit le contexte et la forme, au sein desquels l'image et l'information reçoivent une signification.

Ainsi la syntaxe doit s'expliquer aussi bien par des considérations sémantiques de nature hiérarchique et essentiellement libres de n'importe quel contexte, que par des procédures spécifiquement «épisodiques» et sensibles aux contextes.

Des méchanismes cérébraux pour les opérations sémantiques se trouvent dans la convexité postérieure, pour l'organisation procédurale, d'autre part, il se trouvent dans les systèmes frontolimbiques. Le collationnement syntaxique devient le piston pour l'activité des systèmes moteurs, car, sous cet aspect, l'acte linguistique est peu ou guère différent de l'accomplissiment d'autres actes.

#### RAUM-ZEIT UND DAUER IN DER ORGANISATION DER SPRACHE

0

Das jüngste Interesse für die in sämtlichen Erkenntnistätigkeiten wirksamen kontextempfindlichen, pragmatischen Verfahren schliesst weder die Psycholinguistik noch die Neurolinguistik aus.

In diesem Beitrag werden in gewissem Sinne eine Reihe von Konzeptualisierungen zusammengetragen, die allesamt der Anerkennung der Rolle der Pragmatik, ihrer Definition aufgrund der jüngsten Problematik und der Möglichkeit, ein annehmbares Modell der betreffenden Gehirnprozesse zu konstruieren, wesentliches zu verdanken haben. Die Pragmatik hat ihr Schlüsselkonzept also insofern ausprobiert, als sie eine Reihe von Fragen und Problemen gelöst hat, die sich aus dem Interesse für den Zusammenhang zwischen Semantik und Syntax ergeben hatten. Die Pragmatik liefert den Kontext und die Form, in denen Bild und Information sinnvoll werden. Die Syntax muss also sowohl hierarchischen, wesentlich kontext-freien semantischen Betrachtungen wie episoden-spezifischen, kontextempfindlichen Verfahren Rechnung tragen. Was die Gehirnmechanismen betrifft, diese befinden sich für die semantische Aufarbeitung einerseits in dem hinteren Konvexteil, für die Verfahrensorganisation andererseits in den frontolimbischen Systemen. Die syntaktische Verbindung wird zur typischen durch das motorische System zu verkraftenden Belastung, denn in dieser Hinsicht gibt es zwischen der Durchfürung von sprachlichen und der von anderen Handlungen kaum einen Unterschied.